

Request for Reconsideration after Final Action

The table below presents the data as entered.

Input Field	Entered
SERIAL NUMBER	86358413
LAW OFFICE ASSIGNED	LAW OFFICE 116
MARK SECTION	
MARK	http://tmng-al.uspto.gov/resting2/api/img/86358413/large
LITERAL ELEMENT	GALAXY G3
STANDARD CHARACTERS	YES
USPTO-GENERATED IMAGE	YES
MARK STATEMENT	The mark consists of standard characters, without claim to any particular font style, size or color.
ARGUMENT(S)	
<p>This communication is responsive to the final Office Action dated May 4, 2015.</p> <p>The Examining Attorney maintains the 2(d) refusal of Applicant's mark GALAXY G3, contending that Applicant's mark is likely to be confused with Registration No. 2559074 for GALAXY (Cited Mark) for "intravascular ultrasound imaging apparatus." Applicant respectfully requests reconsideration of the refusal to register its mark GALAXY G3.</p> <p>As an initial matter, the arguments previously submitted on April 17, 2015 (Prior Response), are incorporated herein by reference.</p> <p>Applicant currently owns Reg. No. 3978686 for ORBIT GALAXY for detachable coils. A copy of this registration is attached hereto. To the best of Applicant's knowledge, the ORBIT GALAXY mark has peacefully coexisted with the Cited Mark for at least four years.</p> <p>As indicated in the Prior Response, GALAXY G3 is the next generation device in the ORBIT GALAXY line. Applicant's purchasers – namely, hospital, surgical centers, and surgeons – would be well aware of the connection between ORBIT GALAXY and GALAXY G3.</p> <p>Further, these are not general consumer products, but are specialized medical goods. Such items are typically bought through sale consultants or dedicated distributors. The sophisticated customers know with whom they are dealing.</p> <p>In addition to the coexistence of ORBIT GALAXY and the Cited Mark, the following GALAXY marks</p>	

are currently coexisting on the USPTO registry for Class 10 goods:

1. Reg. No. 1600642 for GALAXY for containers for parenteral fluids.
2. Reg. No. 2919477 for GALAXY for dental equipment, namely chair-mounted, wall-mounted, or cabinet-mounted and cart-mounted dental modular units for housing dental equipment; cuspidors.
3. Reg. No. 3616935 for GALAXY BURS for dental instrument, namely, dental burs.
4. Reg. No. 2956937 for GALAXY for dental equipment used by dental offices or dental professionals, namely dental stools, patient chairs for use with x-ray equipment and trollies used to hold dental instruments; medical equipment used by medical offices or medical professionals, namely physical therapy tables, chiropractic tables, and portable massage tables.
5. Reg. No. 4766276 for GALAXY FIXATION & Design for orthopaedic external fixation systems comprised of modular components for fracture fixation, namely, clamp guide, drill guide, wire guide, screw guide, wrist guide template, multi screw clamp guide, drill bit, trocar, wrench, ratcheting T handle, screw shaft connection, wrench shaft connection, clamp, rod, hinge, kirschner wire without olive, motion unit, wire targeting device, wire bender, self-drilling screws, and transfixing pin; orthopaedic external fixation systems comprised of sterile kits containing one or more modular components for fracture fixation, namely, clamp guide, drill guide, wire guide, screw guide, wrist guide template with handle, multi screw clamp guide, drill bit, trocar, wrench, screw shaft connection, wrench shaft connection, clamp, rod, hinge kirschner wire without olive, motion unit, wire targeting device, wire bender, self-drilling screws, and transfixing pin.
6. Reg. No. 4132842 for GALAXY for spinal braces for medical use.
7. Reg. No. 3459935 for GALUXY for Surgical and medical apparatus and instruments for use in general and orthopedic surgery and operating rooms, namely, surgical lamps, surgical patient tables, surgical equipment tables and surgical clamps * integral to surgical patient tables for use in securely positioning a patient on the surgical table, the foregoing expressly excluding surgical clamps in the nature of separate clamps to be connected to an orthopaedic fixation system on a patient *.

Copies of the registration certificates for the above are attached.

The above shows a significant number of GALAXY (or phonetically equivalent marks) in the medical field. With the exception of GALAXY FIXATION & Design, all of the filings demonstrated use in commerce prior to issuance of the registration. As noted by the Examiner, the Cited Mark has “no restrictions as to nature, type, channels of trade, or classes of purchasers,” yet it coexists on the register with other registrations for medical equipment (Nos. 2 and 7) as well as other products that could conceivably be used in the same field (No. 1).

If the above registrations can coexist with the Cited Mark, Applicant’s mark, with its specialized product and consumers (as noted in Prior Response), can likewise coexist.

Based on the foregoing as well as the Prior response, Applicant respectfully requests that the Examiner withdraw the refusal under Section 2(d) of the Trademark Act and approve the instant application for publication and, in due course, registration.

EVIDENCE SECTION

EVIDENCE FILE NAME(S)

**ORIGINAL PDF
FILE**

[evi_1481771218-20151104102542539705_.73824185_1_Ex1.pdf](#)

**CONVERTED PDF
FILE(S)**

FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0002.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.76464705_1_Ex2.pdf
CONVERTED PDF FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0003.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.77341219_1_Ex3.pdf
CONVERTED PDF FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0004.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.78271156_1_Ex4.pdf
CONVERTED PDF FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0005.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.79104979_1_Ex5.pdf
CONVERTED PDF FILE(S) (2 pages)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0006.JPG
	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0007.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.85228643_1_Ex6.pdf
CONVERTED PDF FILE(S) (2 pages)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0008.JPG
	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0009.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.76642683_1_Ex7.pdf
CONVERTED PDF FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0010.JPG
ORIGINAL PDF FILE	evi_1481771218-20151104102542539705_.OrbitGalaxy77765176_1_.pdf
CONVERTED PDF FILE(S) (1 page)	\\TICRS\EXPORT16\IMAGEOUT16\863\584\86358413\xml12\RFR0011.JPG
DESCRIPTION OF EVIDENCE FILE	registration certiificates cited in the response
SIGNATURE SECTION	
RESPONSE SIGNATURE	/dimjnj/

SIGNATORY'S NAME	Denise I. Mroz
SIGNATORY'S POSITION	Attorney of record, NY bar member
SIGNATORY'S PHONE NUMBER	732-524-1496
DATE SIGNED	11/04/2015
AUTHORIZED SIGNATORY	YES
CONCURRENT APPEAL NOTICE FILED	NO
FILING INFORMATION SECTION	
SUBMIT DATE	Wed Nov 04 10:55:53 EST 2015
TEAS STAMP	USPTO/RFR-148.177.1.218-2 0151104105553711757-86358 413-54018551862ec351795dd 873228da0dd20291611e41458 889d62d4c49346bfd9-N/A-N/ A-20151104102542539705

Request for Reconsideration after Final Action To the Commissioner for Trademarks:

Application serial no. **86358413** GALAXY G3(Standard Characters, see <http://tmng-al.uspto.gov/resting2/api/img/86358413/large>) has been amended as follows:

ARGUMENT(S)

In response to the substantive refusal(s), please note the following:

This communication is responsive to the final Office Action dated May 4, 2015.

The Examining Attorney maintains the 2(d) refusal of Applicant's mark GALAXY G3, contending that Applicant's mark is likely to be confused with Registration No. 2559074 for GALAXY (Cited Mark) for "intravascular ultrasound imaging apparatus." Applicant respectfully requests reconsideration of the refusal to register its mark GALAXY G3.

As an initial matter, the arguments previously submitted on April 17, 2015 (Prior Response), are incorporated herein by reference.

Applicant currently owns Reg. No. 3978686 for ORBIT GALAXY for detachable coils. A copy of this

registration is attached hereto. To the best of Applicant's knowledge, the ORBIT GALAXY mark has peacefully coexisted with the Cited Mark for at least four years.

As indicated in the Prior Response, GALAXY G3 is the next generation device in the ORBIT GALAXY line. Applicant's purchasers – namely, hospital, surgical centers, and surgeons – would be well aware of the connection between ORBIT GALAXY and GALAXY G3.

Further, these are not general consumer products, but are specialized medical goods. Such items are typically bought through sales consultants or dedicated distributors. The sophisticated customers know with whom they are dealing.

In addition to the coexistence of ORBIT GALAXY and the Cited Mark, the following GALAXY marks are currently coexisting on the USPTO registry for Class 10 goods:

1. Reg. No. 1600642 for GALAXY for containers for parenteral fluids.
2. Reg. No. 2919477 for GALAXY for dental equipment, namely chair-mounted, wall-mounted, or cabinet-mounted and cart-mounted dental modular units for housing dental equipment; cuspidors.
3. Reg. No. 3616935 for GALAXY BURS for dental instrument, namely, dental burs.
4. Reg. No. 2956937 for GALAXY for dental equipment used by dental offices or dental professionals, namely dental stools, patient chairs for use with x-ray equipment and trollies used to hold dental instruments; medical equipment used by medical offices or medical professionals, namely physical therapy tables, chiropractic tables, and portable massage tables.
5. Reg. No. 4766276 for GALAXY FIXATION & Design for orthopaedic external fixation systems comprised of modular components for fracture fixation, namely, clamp guide, drill guide, wire guide, screw guide, wrist guide template, multi screw clamp guide, drill bit, trocar, wrench, ratcheting T handle, screw shaft connection, wrench shaft connection, clamp, rod, hinge, kirschner wire without olive, motion unit, wire targeting device, wire bender, self-drilling screws, and transfixing pin; orthopaedic external fixation systems comprised of sterile kits containing one or more modular components for fracture fixation, namely, clamp guide, drill guide, wire guide, screw guide, wrist guide template with handle, multi screw clamp guide, drill bit, trocar, wrench, screw shaft connection, wrench shaft connection, clamp, rod, hinge kirschner wire without olive, motion unit, wire targeting device, wire bender, self-drilling screws, and transfixing pin.
6. Reg. No. 4132842 for GALAXY for spinal braces for medical use.
7. Reg. No. 3459935 for GALUXY for Surgical and medical apparatus and instruments for use in general and orthopedic surgery and operating rooms, namely, surgical lamps, surgical patient tables, surgical equipment tables and surgical clamps * integral to surgical patient tables for use in securely positioning a patient on the surgical table, the foregoing expressly excluding surgical clamps in the nature of separate clamps to be connected to an orthopaedic fixation system on a patient *.

Copies of the registration certificates for the above are attached.

The above shows a significant number of GALAXY (or phonetically equivalent marks) in the medical field. With the exception of GALAXY FIXATION & Design, all of the filings demonstrated use in commerce prior to issuance of the registration. As noted by the Examiner, the Cited Mark has "no restrictions as to nature, type, channels of trade, or classes of purchasers," yet it coexists on the register with other registrations for medical equipment (Nos. 2 and 7) as well as other products that could conceivably be used in the same field (No. 1).

If the above registrations can coexist with the Cited Mark, Applicant's mark, with its specialized product and consumers (as noted in Prior Response), can likewise coexist.

Based on the foregoing as well as the Prior response, Applicant respectfully requests that the Examiner

withdraw the refusal under Section 2(d) of the Trademark Act and approve the instant application for publication and, in due course, registration.

EVIDENCE

Evidence in the nature of registration certificates cited in the response has been attached.

Original PDF file:

[evi_1481771218-20151104102542539705_.73824185_1_Ex1.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.76464705_1_Ex2.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.77341219_1_Ex3.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.78271156_1_Ex4.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.79104979_1_Ex5.pdf](#)

Converted PDF file(s) (2 pages)

[Evidence-1](#)

[Evidence-2](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.85228643_1_Ex6.pdf](#)

Converted PDF file(s) (2 pages)

[Evidence-1](#)

[Evidence-2](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.76642683_1_Ex7.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

Original PDF file:

[evi_1481771218-20151104102542539705_.OrbitGalaxy77765176_1_.pdf](#)

Converted PDF file(s) (1 page)

[Evidence-1](#)

SIGNATURE(S)

Request for Reconsideration Signature

Signature: /dimjnj/ Date: 11/04/2015

Signatory's Name: Denise I. Mroz

Signatory's Position: Attorney of record, NY bar member

Signatory's Phone Number: 732-524-1496

The signatory has confirmed that he/she is an attorney who is a member in good standing of the bar of the highest court of a U.S. state, which includes the District of Columbia, Puerto Rico, and other federal territories and possessions; and he/she is currently the owner's/holder's attorney or an associate thereof; and to the best of his/her knowledge, if prior to his/her appointment another U.S. attorney or a Canadian attorney/agent not currently associated with his/her company/firm previously represented the owner/holder in this matter: (1) the owner/holder has filed or is concurrently filing a signed revocation of or substitute power of attorney with the USPTO; (2) the USPTO has granted the request of the prior representative to withdraw; (3) the owner/holder has filed a power of attorney appointing him/her in this matter; or (4) the owner's/holder's appointed U.S. attorney or Canadian attorney/agent has filed a power of attorney appointing him/her as an associate attorney in this matter.

The applicant is not filing a Notice of Appeal in conjunction with this Request for Reconsideration.

Serial Number: 86358413

Internet Transmission Date: Wed Nov 04 10:55:53 EST 2015

TEAS Stamp: USPTO/RFR-148.177.1.218-2015110410555371

1757-86358413-54018551862ec351795dd87322

8da0dd20291611e41458889d62d4c49346bfd9-N

/A-N/A-20151104102542539705

Int. Cl.: 10

Prior U.S. Cl.: 44

United States Patent and Trademark Office **Reg. No. 1,600,642**
Registered June 12, 1990

**TRADEMARK
PRINCIPAL REGISTER**

GALAXY

BAXTER INTERNATIONAL INC. (DELAWARE
CORPORATION)
ONE BAXTER PARKWAY
DEERFIELD, IL 60015

FIRST USE 8-24-1989; IN COMMERCE
8-24-1989.

SER. NO. 73-824,185, FILED 9-8-1989.

FOR: CONTAINERS FOR PARENTERAL
FLUIDS, IN CLASS 10 (U.S. CL. 44).

RACHEL BLUE, EXAMINING ATTORNEY

Int. Cl.: 10

Prior U.S. Cls.: 26, 39, and 44

Reg. No. 2,919,477

United States Patent and Trademark Office

Registered Jan. 18, 2005

**TRADEMARK
PRINCIPAL REGISTER**

GALAXY

DENTALEZ, INC. (DELAWARE CORPORATION)
101 LINDENWOOD DRIVE, SUITE 225
MALVERN, PA 19355

FIRST USE 2-21-2003; IN COMMERCE 2-21-2003.

FOR: DENTAL EQUIPMENT, NAMELY CHAIR-MOUNTED, WALL-MOUNTED, OR CABINET-MOUNTED AND CART-MOUNTED DENTAL MODULAR UNITS FOR HOUSING DENTAL EQUIPMENT; CUSPIDORS, IN CLASS 10 (U.S. CLS. 26, 39 AND 44).

SN 76-464,705, FILED 11-6-2002.

LEIGH CAROLINE CASE, EXAMINING ATTORNEY

Int. Cl.: 10

Prior U.S. Cls.: 26, 39, and 44

United States Patent and Trademark Office

Reg. No. 3,616,935

Registered May 5, 2009

**TRADEMARK
PRINCIPAL REGISTER**

GALAXY BURS

ORTHO TECHNOLOGY, INC. (FLORIDA CORPORATION)

17401 COMMERCE PARK BOULEVARD

TAMPA, FL 33647

FOR: DENTAL INSTRUMENT, NAMELY, DENTAL BURS, IN CLASS 10 (U.S. CLS. 26, 39 AND 44).

FIRST USE 1-31-2007; IN COMMERCE 1-31-2007.

THE MARK CONSISTS OF STANDARD CHARACTERS WITHOUT CLAIM TO ANY PARTICULAR FONT, STYLE, SIZE, OR COLOR.

NO CLAIM IS MADE TO THE EXCLUSIVE RIGHT TO USE "BURS", APART FROM THE MARK AS SHOWN.

SN 77-341,219, FILED 11-30-2007.

KIMBERLY FRYE, EXAMINING ATTORNEY

Int. Cl.: 10

Prior U.S. Cls.: 26, 39 and 44

Reg. No. 2,956,937

United States Patent and Trademark Office

Registered May 31, 2005

**TRADEMARK
PRINCIPAL REGISTER**

GALAXY

GALAXY ENTERPRISES INC. (CALIFORNIA
CORPORATION)
5411 SHEILA ST.
LOS ANGELES, CA 90040

MEDICAL PROFESSIONALS, NAMELY PHYSICAL
THERAPY TABLES, CHIROPRACTIC TABLES,
AND PORTABLE MASSAGE TABLES, IN CLASS 10
(U.S. CLS. 26, 39 AND 44).

FOR: DENTAL EQUIPMENT USED BY DENTAL
OFFICES OR DENTAL PROFESSIONALS, NAMELY
DENTAL STOOLS, PATIENT CHAIRS FOR USE
WITH X-RAY EQUIPMENT AND TROLIES USED
TO HOLD DENTAL INSTRUMENTS; MEDICAL
EQUIPMENT USED BY MEDICAL OFFICES OR

FIRST USE 0-0-1992; IN COMMERCE 0-0-1992.

SER. NO. 78-271,156, FILED 7-7-2003.

ANGELA M. MICHELI, EXAMINING ATTORNEY

United States of America

United States Patent and Trademark Office

GALAXY
FIXATION

Reg. No. 4,766,276

Registered July 7, 2015

Int. Cl.: 10

TRADEMARK

PRINCIPAL REGISTER

ORTHOFIX S.R.L. (ITALY LIMITED LIABILITY COMPANY)
VIA DELLE NAZIONI, 9
I-37012 BUSSOLENGO (VERONA)
ITALY

FOR: ORTHOPAEDIC EXTERNAL FIXATION SYSTEMS COMPRISED OF MODULAR COMPONENTS FOR FRACTURE FIXATION, NAMELY, CLAMP GUIDE, DRILL GUIDE, WIRE GUIDE, SCREW GUIDE, WRIST GUIDE TEMPLATE, MULTI SCREW CLAMP GUIDE, DRILL BIT, TROCAR, WRENCH, RATCHETING T HANDLE, SCREW SHAFT CONNECTION, WRENCH SHAFT CONNECTION, CLAMP, ROD, HINGE, KIRSCHNER WIRE WITHOUT OLIVE, MOTION UNIT, WIRE TARGETING DEVICE, WIRE BENDER, SELF-DRILLING SCREWS, AND TRANSFIXING PIN; ORTHOPAEDIC EXTERNAL FIXATION SYSTEMS COMPRISED OF STERILE KITS CONTAINING ONE OR MORE MODULAR COMPONENTS FOR FRACTURE FIXATION, NAMELY, CLAMP GUIDE, DRILL GUIDE, WIRE GUIDE, SCREW GUIDE, WRIST GUIDE TEMPLATE WITH HANDLE, MULTI SCREW CLAMP GUIDE, DRILL BIT, TROCAR, WRENCH, SCREW SHAFT CONNECTION, WRENCH SHAFT CONNECTION, CLAMP, ROD, HINGE KIRSCHNER WIRE WITHOUT OLIVE, MOTION UNIT, WIRE TARGETING DEVICE, WIRE BENDER, SELF-DRILLING SCREWS, AND TRANSFIXING PIN, IN CLASS 10 (U.S. CLS. 26, 39 AND 44).

NO CLAIM IS MADE TO THE EXCLUSIVE RIGHT TO USE "FIXATION" , APART FROM THE MARK AS SHOWN.

PRIORITY DATE OF 10-6-2011 IS CLAIMED.

OWNER OF INTERNATIONAL REGISTRATION 1096635 DATED 10-7-2011, EXPIRES 10-7-2021.

THE MARK CONSISTS OF THE WORDING "GALAXY FIXATION" IN WHICH THE LETTERS "AXY" IN THE WORD "GALAXY" HAVE CIRCLES ON THEM.

SER. NO. 79-104,979, FILED 10-7-2011.

RAMONA ORTIGA, EXAMINING ATTORNEY



Michelle K. Lee

Director of the United States
Patent and Trademark Office

**REQUIREMENTS TO MAINTAIN YOUR FEDERAL
TRADEMARK REGISTRATION**

**WARNING: YOUR REGISTRATION WILL BE CANCELLED IF YOU DO NOT FILE THE
DOCUMENTS BELOW DURING THE SPECIFIED TIME PERIODS.**

Requirements in the First Ten Years*

What and When to File:

First Filing Deadline: You must file a Declaration of Use (or Excusable Nonuse) between the 5th and 6th years after the registration date. *See* 15 U.S.C. §§1058, 1141k. If the declaration is accepted, the registration will continue in force for the remainder of the ten-year period, calculated from the registration date, unless cancelled by an order of the Commissioner for Trademarks or a federal court.

Second Filing Deadline: You must file a Declaration of Use (or Excusable Nonuse) **and** an Application for Renewal between the 9th and 10th years after the registration date.*
See 15 U.S.C. §1059.

Requirements in Successive Ten-Year Periods*

What and When to File:

You must file a Declaration of Use (or Excusable Nonuse) **and** an Application for Renewal between every 9th and 10th-year period, calculated from the registration date.*

Grace Period Filings*

The above documents will be accepted as timely if filed within six months after the deadlines listed above with the payment of an additional fee.

***ATTENTION MADRID PROTOCOL REGISTRANTS:** The holder of an international registration with an extension of protection to the United States under the Madrid Protocol must timely file the Declarations of Use (or Excusable Nonuse) referenced above directly with the United States Patent and Trademark Office (USPTO). The time periods for filing are based on the U.S. registration date (not the international registration date). The deadlines and grace periods for the Declarations of Use (or Excusable Nonuse) are identical to those for nationally issued registrations. *See* 15 U.S.C. §§1058, 1141k. However, owners of international registrations do not file renewal applications at the USPTO. Instead, the holder must file a renewal of the underlying international registration at the International Bureau of the World Intellectual Property Organization, under Article 7 of the Madrid Protocol, before the expiration of each ten-year term of protection, calculated from the date of the international registration. *See* 15 U.S.C. §1141j. For more information and renewal forms for the international registration, see <http://www.wipo.int/madrid/en/>.

NOTE: Fees and requirements for maintaining registrations are subject to change. Please check the USPTO website for further information. With the exception of renewal applications for registered extensions of protection, you can file the registration maintenance documents referenced above online at <http://www.uspto.gov>.

NOTE: A courtesy e-mail reminder of USPTO maintenance filing deadlines will be sent to trademark owners/holders who authorize e-mail communication and maintain a current e-mail address with the USPTO. To ensure that e-mail is authorized and your address is current, please use the Trademark Electronic Application System (TEAS) Correspondence Address and Change of Owner Address Forms available at <http://www.uspto.gov>.

United States of America
United States Patent and Trademark Office

GALAXY

Reg. No. 4,132,842

Registered Apr. 24, 2012

Int. Cl.: 10

TRADEMARK

PRINCIPAL REGISTER

OPTEC USA, INC. (GEORGIA CORPORATION)
975 PROGRESS CIRCLE
LAWRENCEVILLE, GA 30043

FOR: SPINAL BRACES FOR MEDICAL USE, IN CLASS 10 (U.S. CLS. 26, 39 AND 44).

FIRST USE 4-15-2011; IN COMMERCE 4-15-2011.

THE MARK CONSISTS OF STANDARD CHARACTERS WITHOUT CLAIM TO ANY PARTICULAR FONT, STYLE, SIZE, OR COLOR.

SN 85-228,643, FILED 1-28-2011.

SIMON TENG, EXAMINING ATTORNEY



David J. Kappas

Director of the United States Patent and Trademark Office

**REQUIREMENTS TO MAINTAIN YOUR FEDERAL
TRADEMARK REGISTRATION**

**WARNING: YOUR REGISTRATION WILL BE CANCELLED IF YOU DO NOT FILE THE
DOCUMENTS BELOW DURING THE SPECIFIED TIME PERIODS.**

Requirements in the First Ten Years*

What and When to File:

First Filing Deadline: You must file a Declaration of Use (or Excusable Nonuse) between the 5th and 6th years after the registration date. See 15 U.S.C. §§1058, 1141k. If the declaration is accepted, the registration will continue in force for the remainder of the ten-year period, calculated from the registration date, unless cancelled by an order of the Commissioner for Trademarks or a federal court.

Second Filing Deadline: You must file a Declaration of Use (or Excusable Nonuse) **and** an Application for Renewal between the 9th and 10th years after the registration date.*
See 15 U.S.C. §1059.

Requirements in Successive Ten-Year Periods*

What and When to File:

You must file a Declaration of Use (or Excusable Nonuse) **and** an Application for Renewal between every 9th and 10th-year period, calculated from the registration date.*

Grace Period Filings*

The above documents will be accepted as timely if filed within six months after the deadlines listed above with the payment of an additional fee.

**The United States Patent and Trademark Office (USPTO) will NOT send you any future notice or
reminder of these filing requirements.**

***ATTENTION MADRID PROTOCOL REGISTRANTS:** The holder of an international registration with an extension of protection to the United States under the Madrid Protocol must timely file the Declarations of Use (or Excusable Nonuse) referenced above directly with the USPTO. The time periods for filing are based on the U.S. registration date (not the international registration date). The deadlines and grace periods for the Declarations of Use (or Excusable Nonuse) are identical to those for nationally issued registrations. See 15 U.S.C. §§1058, 1141k. However, owners of international registrations do not file renewal applications at the USPTO. Instead, the holder must file a renewal of the underlying international registration at the International Bureau of the World Intellectual Property Organization, under Article 7 of the Madrid Protocol, before the expiration of each ten-year term of protection, calculated from the date of the international registration. See 15 U.S.C. §1141j. For more information and renewal forms for the international registration, see <http://www.wipo.int/madrid/en/>.

NOTE: Fees and requirements for maintaining registrations are subject to change. Please check the USPTO website for further information. With the exception of renewal applications for registered extensions of protection, you can file the registration maintenance documents referenced above online at <http://www.uspto.gov>.

Int. Cl.: 10

Prior U.S. Cls.: 26, 39 and 44

United States Patent and Trademark Office

Reg. No. 3,459,935

Registered July 8, 2008

TRADEMARK
PRINCIPAL REGISTER

GALUXY

SIGNATURE MEDICAL RESOURCES, INC.
(TEXAS CORPORATION)
3605 OLIVIA DRIVE
WYLLIE, TX 75098

FOR: SURGICAL AND MEDICAL APPARATUS
AND INSTRUMENTS FOR USE IN GENERAL AND
ORTHOPEDIC SURGERY AND OPERATING
ROOMS, NAMELY, SURGICAL LAMPS, SURGICAL
PATIENT TABLES, SURGICAL EQUIPMENT TA-
BLES, SURGICAL SAWS, SURGICAL DRILLS AND
SURGICAL CLAMPS, IN CLASS 10 (U.S. CLS. 26, 39
AND 44).

FIRST USE 6-25-2005; IN COMMERCE 6-25-2005.

THE MARK CONSISTS OF STANDARD CHAR-
ACTERS WITHOUT CLAIM TO ANY PARTICULAR
FONT, STYLE, SIZE, OR COLOR.

SER. NO. 76-642,683, FILED 7-11-2005.

RICHARD A. STRASER, EXAMINING ATTORNEY

United States of America

United States Patent and Trademark Office

ORBIT GALAXY

Reg. No. 3,978,686

Registered June 14, 2011

Int. Cl.: 10

TRADEMARK

PRINCIPAL REGISTER

JOHNSON & JOHNSON (NEW JERSEY CORPORATION)
ONE JOHNSON & JOHNSON PLAZA
NEW BRUNSWICK, NJ 089337001

FOR: ARTIFICIAL MEDICAL EMBOLIZATION DEVICES, NAMELY, DETACHABLE COILS,
AND EXCLUDING CONTAINERS FOR PARENTERAL FLUIDS, IN CLASS 10 (U.S. CLS. 26,
39 AND 44).

FIRST USE 7-2-2010; IN COMMERCE 7-2-2010.

THE MARK CONSISTS OF STANDARD CHARACTERS WITHOUT CLAIM TO ANY PAR-
TICULAR FONT, STYLE, SIZE, OR COLOR.

SN 77-765,176, FILED 6-22-2009.

JOHN SCHUYLER YARD, EXAMINING ATTORNEY



David J. Kappas

Director of the United States Patent and Trademark Office